

SRFS TELEINFRA

SRFS-DK-3086-HGA 6 Bands, Outdoor



Drone Killer(DK) 6 Bands, Cover 180 Degrees 100% Waterproof for Outdoor

	DK-3086-HGA (6 bands)
One Directional Antenna with Three Bands to Cover 90 Degrees	2.4-2.5GHz:20W WiFi 11.g, b, Bluetooth
	GPS L1 + GLONASS L1 :40W 1570-1620MHz
	5.7GHz-5.9GHz: 2.0W WiFi 11.a
One Directional Antenna with Three Bands to Cover 90 Degrees	2.4-2.5GHz:20W WiFi 11.g, b, Bluetooth
	GPS L1 + GLONASS L1 :40W 1570-1620MHz
	5.7GHz-5.9GHz: 2.0W WiFi 11.a
Total Two Directional Antennas to cover all 180 Degrees	Total : 128 W
Option: GPS L2 L3 L4 L5: 15W, 5.8GHz: 2.0W, 860-920MHz:25W, 433MHz: 20W	
Cover Most Commercial Used Drones / UAVs Like Dji Phantom 4, Phantom 3 Professional, Advanced, Standard series, Inspire Series... Adjustable Output Power each Band/Channel, Max Output Power to 0 (OFF) 100% Safe VSWR over protection (Isolator) for each modular Wireless Remote Control or Ethernet Interface to control of Jammers ON/OFF	
Power supply:	AC110 or 220-240V /DC 27V
Jamming Range	Radius 1000-3000+ Meters
Weight	19Kg (Main Jammer Only)
Dimension:	470 x 380 x 290mm
Working time:	Without the time limit, May continue to work,
Antenna	Directional Patch Panel
Warranty:	1 year



Plot no 10 Shiv Vihar A Block Najafgarh Nala Road Vikasnagar Uttam Nagar New Delhi-110059

+91-9027232570, +91-8800726650 info@srfsteleinfra.in, info@srfsteleinfra.com

www.srfsteleinfra.in

Drone Killer (DK) 6 Bands, Cover 180 Degrees 100% Waterproof for Outdoor

HIGHER GAIN DIRECTIONAL ANTENNA THREE BANDS IN ONE ANTENNA

Electrical Specifications

Impedance	50 Ohm
VSWR	≤ 1.5
Gain	14dBi (1570-1620MHz):16 dBi (2400-2500MHz) 18 dBi (5100-5900MHz)
Front to Back Ratio	$> 24\text{dB}$
Polarization	$\pm 45^\circ$
Horizontal 3dB Beam Width	(1570-1620) : 90° (2400-2500) : 90° (5100-5900) : 90°
Vertical 3dB Beam Width	(1570-1620) : 15° (2400-2500) : 15°
Maximum Input Power	200W
Lightning Protection	Direct Ground
Connector Place	Bottom
Connector	N Female




Mechanical Specifications

Weight	4.0 kg
Rated Wind Velocity	60m/s
Operating Temperature	$40^\circ\text{C}-60^\circ\text{C}$
Mounting Hardware	$\varnothing 50-\varnothing 75\text{mm}$
Radiating Element Material	Zinc Alloy \ Aluminum
Alloy Reflector Material	Aluminum Alloy
Radome Material	PVC
Radome Color	Gray
Dimensions(L/W/D)	745*180*80mm

SRFS TELEINFRA



Drone Killer(DK) 6 Bands, Cover 180 Degrees 100% Waterproof for Outdoor



Plot no 10 Shiv Vihar A Block Najafgarh Nala Road Vikasnagar Uttam Nagar New Delhi-110059

+91-9027232570, +91-8800726650 ✉ info@srfsteleinfra.in, info@srfsteleinfra.com

www.srfsteleinfra.in