

SRFS TELEINFRA

SRFS-PDK-6078H-HGA Drone UAV Jammer

Max 720W 8 Bands

5.8GHz, 2.4GHz, 433MHz, GPS L1, L2, L3, L4 L5, Glonass L1+L2, Bei Dou, Galileo, 868MHz



PDK-6078H-UAV 8 Bands	
433MHz 100W	
868-912MHz 100 W	
2400-2500MHz :100W WiFi 11.b,g & Bluetooth	
1560-1620MHz:100W GPS L1 + Glonass L1 + GALILEO : E1 + Bei Dou B1 Freq	
1220-1290MHz:100W GPS L2 + Glonass L2 + Bei Dou B3 Freq + GALILEO:E6	
1370-1390MHz:100W GPS L3 + GPS L4	
1160-1210MHz:100W GPS L5 + Bei Dou B2 + GALILEO: E5 + E5A, + GALILEO :E5B	
Option: GPS L2 L3 L4 L5: 15W, 860-920MHz:25W, 433MHz: 50W	
<p>Cover Most Commercial Used Drones / UAVs Most professional Drones/UAVs (Distance 1-3Km) use 2.4GHz for Remote Control System Like Dji Phantom 4, Phantom 3 Professional, Advanced Series, Inspire Series... Adjustable Output Power each Band/Channel, Max Output Power to 0 (OFF) 100% Safe VSWR over protection (Isolator) for each modular</p>	
Power supply:	AC adapter (AC 220V-DC 27V or 24V/45 Amp) or External Battery
Jamming Range	1000-3000 meters for Omni Antennas, 3000-8000 Meters Higher Gain Directional Antennas



Plot no 10 Shiv Vihar A Block Najafgarh Nala Road Vikasnagar Uttam Nagar New Delhi-110059

+91-9027232570, +91-8800726650 info@srfsteleinfra.in, info@srfsteleinfra.com

www.srfsteleinfra.in



SRFS TELEINFRA

SRFS-PDK-6078H-HGA Drone UAV Jammer



Electrical & Mechanical Specifications

Stand-alone modular design and individual power control.

Adjustable Output Power each Band/Channel

VSWR over protection for each modular.

Working status indicator for each band modular.

Designed to cut off down-link only, Therefore it doesn't have Interference to base station and repeater.

Operating temperature: -20°C ~ +60°C

Humidity: 5% ~ 90%

Dimension : 626 mm(L)×49.2mm(W)× 350mm(H), Pelican 1620

Weight : 45 Kg (approximately) just main unit not included antenna & all accessories

Antennas Spec	Frequency Range	Gain/Dimensions/Weight
	850-960Mhz : Omni	5dBi, 650mm, 0.8Kg
	1500-1600Mhz : Omni	5dBi, 650mm, 0.8Kg
	433Mhz : Omni	3dBi, 650mm, 0.8Kg
	1100-1400Mhz : Omni	5dBi, 650mm, 0.8Kg
	2400-2500Mhz : Omni	7dBi, 650mm, 0.8Kg
	5.8GHz : Omni	12 dBi, 650mm, 0.8Kg

Antennas Option Three Bands in One Higher Gain Antenna

External Battery B-50AH 27V/50AH LiFePo4 Battery

Pelican Case 1440, 35kg Weight

Work 1-2 hours

Warranty 1Year



Plot no 10 Shiv Vihar A Block Najafgarh Nala Road Vikasnagar Uttam Nagar New Delhi-110059

+91-9027232570, +91-8800726650 ✉ info@srfsteleinfra.in, info@srfsteleinfra.com

www.srfsteleinfra.in

SRFS TELEINFRA



SRFS-PDK-6078H-HGA Drone UAV Jammer



Plot no 10 Shiv Vihar A Block Najafgarh Nala Road Vikasnagar Uttam Nagar New Delhi-110059

+91-9027232570, +91-7838349349 ✉ info@srfsteleinfra.in, info@srfsteleinfra.com

🌐 www.srfsteleinfra.in