


SRFS TELEINFRA

Stainless Steel Clamp for 7/8" Leaky Cable

Description: Stainless Steel Cable Clamps are used to provide Fire Resistant installations of Radiating Cables in mountain area, hill, tunnel, underground railway, underground building with or without spacers. The installation is very simple and quick. To limit the interference that could be caused by Metal Objects on the RF field generated by a Radiating Cable, only every 10th fixing should be metallic.

Features: Cable Clamps for Radiating Cables, SRFS radiating cable clamps offer a wide range of solutions for a fast and secure installation of cables in railway, motorway, and underground tunnels.



CHEMICAL & MECHANICAL SPECIFICATIONS

Product Line	RF Cable Accessories
Model No.	SRFSL-RFCL-SS-22D
Product Type	Installation Hardware
Clamp Type	Stainless steel clamp for Leaky Cable
Cable Size	7/8"
Colour	Silver and Black
Material	SS, PP FRLSZH
Axial Load Capability	8 X 7/8" LCX Cable Weight per mtr
Corrosion Resistance	≥ 500 hours of the salt spray chamber
UV Resistance	≥100 hours of accelerated UV Life Chamber
Operating Temperature	-40 °C to +85°C

MECHANICAL SPECIFICATIONS

Self-Locking Clamp-1 pcs	Stainless Steel SS304 or SS316
Bolt M8 1 pcs	Stainless Steel SS304 or SS316
Flush Anchor 1 pcs	Stainless Steel SS304 or SS316
Round Base - 1 pcs	PP -FRLSZH

Add: plot no 10 shiv vihar a block Najafgarh Sahibi river road Vikasnagar Uttam nagar new delhi-110059

+91-9027232570, +91-8800726650, +91 8076749052 info@srfsteleinfra.in, info@srfsteleinfra.com, srfsteleinfra@gmail.com


www.srfsteleinfra.in, www.srfsteleinfra.com

SRFS Teleinfra | All specifications are subject to change.
SRFS reserves the right to make such changes as required. Unless otherwise stated, all specifications are nominal.
It may be necessary to make modifications to the part and/or the documentation of the part to implement improvements.
See www.srfsteleinfra.in for the most current information. Revised: 19 Jan 2023




SRFS TELEINFRA


Stainless Steel Clamp for 7/8" Leaky Cable




Round Base



Self-Locking Clamp




Flush Anchor



Bolt M8



Assembly of 7/8 SS Clamp



Assembly of 7/8 SS Clamp

Add: plot no 10 shiv vihar a block Najafgarh Sahibi river road Vikasnagar Uttam nagar new delhi-110059
+91-9027232570, +91-8800726650, +91 8076749052 info@srfsteleinfra.in, info@srfsteleinfra.com, srfsteleinfra@gmail.com
www.srfsteleinfra.in, www.srfsteleinfra.com

SRFS Teleinfra | All specifications are subject to change. Unless otherwise stated, all specifications are nominal. SRFS reserves the right to make such changes as required. It may be necessary to make modifications to the part and/or the documentation of the part to implement improvements. See www.srfsteleinfra.in for the most current information. Revised: 19 Jan 2023



SRFS TELEINFRA

Stainless Steel Clamp for 7/8" Leaky Cable



Round Base



Self-Locking Clamp



Flush Anchor



Bolt M8



Assembly of 7/8 SS Clamp

Add: plot no 10 shiv vihar a block Najafgarh Sahibi river road Vikasnagar Uttam nagar new delhi-110059
+91-9027232570, +91-8800726650, +91 8076749052 info@srfsteleinfra.in, info@srfsteleinfra.com, srfsteleinfra@gmail.com
www.srfsteleinfra.in, www.srfsteleinfra.com

SRFS Teleinfra | All specifications are subject to change.
SRFS reserves the right to make such changes as required. Unless otherwise stated, all specifications are nominal.
It may be necessary to make modifications to the part and/or the documentation of the part to implement improvements.
See www.srfsteleinfra.in for the most current information. Revised: 19 Jan 2023

