


# SRFS TELEINFRA

## Surge Protector DC-6GHz

### Part No.- SRFS-SP-DC6

Get connected with us:



| Electrical & Mechanical Specifications |                                     |
|--|-------------------------------------|
| Model                                  | SRFS.RFLA-622-050401                |
| Frequency (GHz)                        | DC ~ 6 GHz                          |
| VSWR                                   | 1G ≤ 1.1 / 2.4G ≤ 1.15 / 5.8G ≤ 1.3 |
| Impedance                              | 50 Ohm                              |
| Application                            | Outdoor                             |
| Insert loss                            | ≤ 0.4dB (6.0G)                      |
| Residual voltage(1kV/μs)               | < 600V                              |
| Nominal discharge voltage              | 230V±20%                            |
| Surge current capability               | 30kA once and 20kA multiple         |
| Connector type                         | N-Plug/Male to N-Socket/Female      |
| Size (mm)                              | 78*30mm                             |
| Operating Temperature (°C)             | -30~+65                             |

Add: plot no 10 shiv vihar a block Najafgarh Sahibi river road Vikasnagar Uttam nagar new delhi-110059

+91 7838349349 info@srfsteleinfra.in, sales@srfsteleinfra.in, srfsteleinfra@gmail.com

www.srfsteleinfra.in, www.srfsteleinfra.com

SRFS Teleinfra | All specifications are subject to change.  
SRFS reserves the right to make such changes as required. Unless otherwise stated, all specifications are nominal.  
It may be necessary to make modifications to the part and/or the documentation of the part to implement improvements.  
See www.srfsteleinfra.in for the most current information. Revised: 19 Jan 2023

