HR15-15



15 dBi Gain, 49.8-75.8 GHz, WR15 Standard Gain Horn with UG385/U Flange

Electrical

Frequency Range	49.8-75.8 GHz
Norminal Gain	15 dBi
Polarization	Linear
VSWR	1.2 max
3dB Beamwidth	H-Plane: 20.7~29.5 deg, E-Plane: 20.7~30.2 deg
Operating Temperature	-40℃~+70℃

Note: Measured pattern data is not provided by default. CST simulated data & VSWR measurement available.

Mechanical

Waveguide Size	WR15
Flange Type	UG385/U Round Cover Flange
Body Material and Finish	Copper, Gold Plated

Dimensions(mm)





Typical Return Loss



Gain



Simulated Antenna Patterns

49.8GHz H-Plane



farfield (f=49.8) [1]

Frequency = 49.8
Main lobe magnitude = 15.7 dBi
Main lobe direction = 0.0 deg.
Angular width (3 dB) = 29.5 deg.
Side lobe level = -22.9 dB

E-Plane



farfield (f=49.8) [1]

Frequency = 49.8
Main lobe magnitude = 15.7 dBi
Main lobe direction = 0.0 deg.
Angular width (3 dB) = 30.2 deg.
Side lobe level = -13.4 dB

52GHz H-Plane



farfield (f=52) [1]

Frequency = 52
Main lobe magnitude = 15.9 dBi
Main lobe direction = 0.0 deg.
Angular width (3 dB) = 28.3 deg.
Side lobe level = -23.4 dB

E-Plane



farfield (f=52) [1]

Frequency = 52
Main lobe magnitude = 15.9 dBi
Main lobe direction = 0.0 deg.
Angular width (3 dB) = 30.2 deg.
Side lobe level = -13.9 dB

55GHz H-Plane



farfield (f=55) [1]

Frequency = 55
Main lobe magnitude = 16.4 dBi
Main lobe direction = 0.0 deg.
Angular width (3 dB) = 27.2 deg.
Side lobe level = -23.3 dB

E-Plane



farfield (f=55) [1]

Frequency = 55
Main lobe magnitude = 16.4 dBi
Main lobe direction = 0.0 deg.
Angular width (3 dB) = 28.7 deg.
Side lobe level = -15.3 dB

56GHz H-Plane



farfield (f=56) [1]

Frequency = 56
Main lobe magnitude = 16.6 dBi
Main lobe direction = 0.0 deg.
Angular width (3 dB) = 26.6 deg.
Side lobe level = -23.3 dB

E-Plane



farfield (f=56) [1]

Frequency = 56
Main lobe magnitude = 16.6 dBi
Main lobe direction = 0.0 deg.
Angular width (3 dB) = 27.9 deg.
Side lobe level = -14.5 dB

58GHz H-Plane



farfield (f=58) [1]

Frequency = 58
Main lobe magnitude = 16.9 dBi
Main lobe direction = 0.0 deg.
Angular width (3 dB) = 25.5 deg.
Side lobe level = -23.4 dB

E-Plane



farfield (f=58) [1]

Frequency = 58
Main lobe magnitude = 16.9 dBi
Main lobe direction = 0.0 deg.
Angular width (3 dB) = 26.7 deg.
Side lobe level = -13.2 dB

59GHz H-Plane



farfield (f=59) [1]

Frequency = 59
Main lobe magnitude = 17.0 dBi
Main lobe direction = 0.0 deg.
Angular width (3 dB) = 25.1 deg.
Side lobe level = -23.6 dB

E-Plane



farfield (f=59) [1]

Frequency = 59
Main lobe magnitude = 17.0 dBi
Main lobe direction = 0.0 deg.
Angular width (3 dB) = 26.3 deg.
Side lobe level = -13.0 dB

60GHz H-Plane



farfield (f=60) [1]

Frequency = 60
Main lobe magnitude = 17.1 dBi
Main lobe direction = 0.0 deg.
Angular width (3 dB) = 24.9 deg.
Side lobe level = -23.7 dB

E-Plane



farfield (f=60) [1]

Frequency = 60
Main lobe magnitude = 17.1 dBi
Main lobe direction = 0.0 deg.
Angular width (3 dB) = 26.0 deg.
Side lobe level = -13.0 dB

64GHz H-Plane



farfield (f=64) [1]

Frequency = 64
Main lobe magnitude = 17.7 dBi
Main lobe direction = 0.0 deg.
Angular width (3 dB) = 23.5 deg.
Side lobe level = -23.9 dB

E-Plane



farfield (f=64) [1]

Frequency = 64
Main lobe magnitude = 17.7 dBi
Main lobe direction = 0.0 deg.
Angular width (3 dB) = 24.5 deg.
Side lobe level = -13.6 dB

68GHz H-Plane



farfield (f=68) [1]

Frequency = 68
Main lobe magnitude = 18.1 dBi
Main lobe direction = 0.0 deg.
Angular width (3 dB) = 22.4 deg.
Side lobe level = -23.3 dB

E-Plane



farfield (f=68) [1]

Frequency = 68
Main lobe magnitude = 18.1 dBi
Main lobe direction = 0.0 deg.
Angular width (3 dB) = 22.5 deg.
Side lobe level = -11.9 dB

72GHz H-Plane



farfield (f=72) [1]

Frequency = 72
Main lobe magnitude = 18.6 dBi
Main lobe direction = 0.0 deg.
Angular width (3 dB) = 21.2 deg.
Side lobe level = -22.8 dB

E-Plane



farfield (f=72) [1]

Frequency = 72
Main lobe magnitude = 18.6 dBi
Main lobe direction = 0.0 deg.
Angular width (3 dB) = 21.7 deg
Side lobe level = -14.1 dB

75.8GHz H-Plane



farfield (f=75.8) [1]

Frequency = 75.8
Main lobe magnitude = 18.5 dBi
Main lobe direction = 0.0 deg.
Angular width (3 dB) = 20.7 deg.
Side lobe level = -22.7 dB

E-Plane



farfield (f=75.8) [1]

Frequency = 75.8
Main lobe magnitude = 18.5 dBi
Main lobe direction = 0.0 deg.
Angular width (3 dB) = 20.7 deg.
Side lobe level = -22.7 dB